

1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres**  
**Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa11ATEX0033X/2**

4 Equipment: **'Elite' range of enclosures complete with sensing circuits and power supply unit**

5 Manufacturer: **Don Electronics Limited**

6 Address: **Westfield Industrial Estate, Kirk Lane, Yeadon, Leeds, LS19 7LX**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa11ATEX0033X to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. 4340

Project File No. 13/0633

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Baseefa Limited**


Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



R S SINCLAIR  
GENERAL MANAGER

On behalf of SGS Baseefa Limited

13

## Schedule

14

Certificate Number Baseefa11ATEX0033X/2

### 15 Description of the variation to the Equipment

#### Variation 2.1

To allow internal circuit modifications with ratings up to 24V DC 160mA.

### 16 Report Number

GB/BAS/ExTR13.0175/00

### 17 Specific Conditions of Use

None additional to those listed previously

### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

### 19 Drawings and Documents

Number	Sheet	Issue	Date	Description
DE1237-1-001-X	1	5	20/08/13	Mechanical/electrical general PSU arrangement



1 **SUPPLEMENTARY TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary Type Examination Certificate Number: **Baseefa11ATEX0033X/1**

4 Equipment: **'Elite' range of enclosures complete with sensing circuits and power supply unit**

5 Manufacturer: **Don Electronics Limited**

6 Address: **Westfield Industrial Estate, Kirk Lane, Yeadon, Leeds,  
LS19 7LX**

7 This supplementary certificate extends Type Examination Certificate No. Baseefa11ATEX0033X to apply to equipment designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

8 Item 9 of the original Certificate is replaced by "Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 60079-0:2012 EN 60079-31: 2009**

except in respect of those requirements listed at item 18 of the Schedule."

9 The marking of the equipment has changed from the original Certificate and shall include the following:

**Ⓔ II 3D Ex tc IIC T125°C Dc IP66 Tamb -20°C to +45°C**

This certificate shall be held with the original certificate and may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. 4340

Project File No. 12/0158

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ  
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601  
e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)  
Baseefa is a trading name of Baseefa Ltd  
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR  
DIRECTOR  
On behalf of  
Baseefa



13

## Schedule

14

Certificate Number Baseefa00ATEX0000X/1

### 15 Description of the variation to the Equipment

#### Variation 1.1

To allow circuit modifications. This reduces the equipment ambient to +45°C.

#### Variation 1.2

To confirm that the equipment covered by this certificate has been reviewed against the requirements of EN 60079-0: 2012 and EN 60079-31: 2009 in respect of the differences from EN 61241-0: 2006 and EN 61241-1: 2004 and the equipment has been assessed and is in compliance with the requirements of the latest standards.

The marking will change as follows:

⊕ II 3D Ex tc IIIC T125°C Dc IP66 Tamb -20°C to +45°C

### 16 Report Number

GB/BAS/ExTR12.0324/00

### 17 Specific Conditions of Use

None additional to those listed previously

### 18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

### 19 Drawings and Documents

Number	Issue	Date	Description
DE1237-1-001-X	4	10/01/13	Mechanical/electrical general PSU arrangement
WE2005000-6	1	05/12/12	Generic label for Elite range 1084B enclosure (Category 3)
WE2005000-7	1	11/12/12	Generic label for Elite range 864A enclosure (Category 3)

This drawing is common to and held on IECEx BAS 11.0018X



1 **TYPE EXAMINATION CERTIFICATE**

2 **Equipment Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Type Examination Certificate Number: **Baseefa11ATEX0033X**

4 Equipment: **'Elite' range of enclosures complete with sensing circuits and power supply unit.**

5 Manufacturer: **Don Electronics Limited**

6 Address: **Westfield Industrial Estate, Kirk Lane, Yeadon, Leeds, LS19 7LX**

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Baseefa certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment of Category 3 intended for use in potentially explosive atmospheres given in Annex II to European Union Directive 94/9/EC of 23 March 1994.

The examination and test results are recorded in confidential Report No.

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 61241-0: 2006 EN 61241-1: 2004**

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

11 This TYPE EXAMINATION CERTIFICATE relates only to the design of the specified equipment and not to specific items of equipment subsequently manufactured.

12 The marking of the equipment shall include the following :

**⊕ II 3D Ex tD A22 T125°C IP66 Tamb -20°C to +50°C**

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **4340**

Project File No. **10/0691**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [info@baseefa.com](mailto:info@baseefa.com) web site [www.baseefa.com](http://www.baseefa.com)

Baseefa is a trading name of Baseefa Ltd

Registered in England No. 4305578. Registered address as above.

A handwritten signature in black ink, appearing to read "R S Sinclair".

R S SINCLAIR

DIRECTOR  
On behalf of  
Baseefa



13

## Schedule

14

**Certificate Number Baseefa11ATEX0033X**

### 15 Description of Equipment

There are two sizes of empty enclosure that form the 'Elite' range complete with sensing circuits and power supply unit:

Type 864A: 165mm x 210mm x 132mm

Type 1084B: 215mm x 266mm x 132mm

The enclosure is manufactured in polycarbonate. The enclosure consists of an opaque grey body and transparent/clear lid, complete with silicone sponge gasket that is fitted in a rectangular groove in the lid. The lid is hinged to the body and secured by two stainless steel screws. The body has raised threaded bosses in the base to allow the securing of internal components/circuits. The enclosure has an ingress protection rating of IP66.

The enclosure may be fitted with one or more sensor circuits with a variety of different functions and circuit options. The enclosure is powered by a 24V DC supply or a 24V 25Watt power supply unit (PSU) via a 85-265V 50/60Hz supply. There must be a minimum of 10mm between the components and the enclosure wall.

The Maximum Power Dissipation for the type 864A and 1084B enclosure is 25 Watts per circuit with each circuit within the enclosure being protected by a combination of fuse and zener diodes. The zener diode has a voltage rating which is selected to be as close as possible to the supply voltage.

### 16 Report Number

GB/BAS/ExTR11.0036/00

### 17 Special Conditions for Safe Use

1. The equipment shall be suitably earth bonded via the PCB mounted earth terminal inside the equipment enclosure.
2. Warning: The equipment is a potential static hazard, clean only with a damp cloth.
3. Do not allow dust layers to build up on the equipment.

### 18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

### 19 Drawings and Documents

Number	Issue	Date	Description
DE2010101	2	28/04/11	Enclosure general arrangement PSU
DE2010004	0	02/02/11	Generic Zone 22 schematic
WE2005000-6	0	28/04/11	Generic label for Elite Range 1084A box Category 3
WE2005000-7	0	28/04/11	Generic label for Elite Range 864A box Category 3

All drawings are common to and held on IECEx BAS 11.0018X